

2007

# ACHIEVING BALANCE in State Pain Policy

**A Progress Report Card** (Third Edition)



## **Pain & Policy Studies Group**

University of Wisconsin School of Medicine and Public Health

Paul P. Carbone Comprehensive Cancer Center

[www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu)

July 2007

Supported by:

American Cancer Society

Susan G. Komen  
for the Cure

Lance Armstrong  
Foundation



State policies aimed at preventing drug abuse, regulating professional practice, and improving patient care can either enhance or interfere with pain management. Four evaluations over a seven-year period by the University of Wisconsin Pain & Policy Studies Group (PPSG) show improvement in state policies governing the medical use of opioid medications. This *Progress Report Card (Progress Report Card 2007)* uses evidence from policy research to grade states' policies from A to F. Along with the companion analysis of each state's policies (entitled *Achieving Balance in Federal and State Pain Policy: A Guide to Evaluation (Fourth edition)*) ([Evaluation Guide 2007](#)), the *Progress Report Card 2007* can be used by state agencies and pain relief advocates to develop plans to further improve state pain policies.

The evidence used to create the *Progress Report Card 2007* comes from a systematic, criteria-based, research evaluation of the best information available to the PPSG. We hope that our findings, conclusions, and recommendations will stimulate individuals, organizations, and state governments to work together to evaluate or re-evaluate their policies regarding pain management and to take the necessary steps to improve and implement them.

Aaron M. Gilson, MS, MSSW, PhD, Associate Director for U.S. Policy Research

David E. Joranson, MSSW, Director, Distinguished Scientist

Karen M. Ryan, MA, Associate Director for International Policy Research

Martha A. Maurer, MSSW, MPH, Policy Analyst

Jody P. Garthwaite, BA, Policy Analyst

Janet F. Kline, MLS, Administrative Program Specialist

## **The Pain & Policy Studies Group**

The mission of the Pain & Policy Studies Group is to achieve more balanced international, national and state policies so that patients' access to pain medications is not compromised by efforts to prevent diversion and drug abuse.

The following recent contributions of the PPSG are described in publications, available at [www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu):

- ◆ Pain policy workshops for members of state medical boards, and research demonstrating improvements in knowledge and attitudes about pain management and public policy.
- ◆ Research showing that state policies improved when boards use a model pain policy.
- ◆ Content evaluation of federal and state policy.
- ◆ Evaluation of policies influencing the use of controlled substances for treatment of pain in persons with a history of substance abuse.
- ◆ Status of state prescription monitoring programs.
- ◆ Efforts of state medical boards to improve and communicate pain policies to physicians.
- ◆ Commentary on the relation between abuse of prescription pain medications and illegal activity not involving the practitioner-patient relationship.
- ◆ Commentary on the relation between pain management and increasing abuse of prescription pain medications.
- ◆ Analysis of the extent that pain medications are stolen from the licit drug distribution system.
- ◆ A reassessment of trends in medical use and abuse of opioid pain medications.

# TABLE OF CONTENTS



|  |    |
|--|----|
| <b>Executive Summary</b>   | 2  |
| <b>Acknowledgments, Citation, Notes to Reader</b>  | 4  |
| <b>Introduction</b>  | 5  |
| Unrelieved Pain Continues to Burden Americans  | 5  |
| Pain can be Relieved   | 5  |
| The Gap Between Knowledge and Practice   | 5  |
| Influence of Drug Abuse Control Policy   | 5  |
| The Imperative to Evaluate Pain Policy   | 6  |
| <b>Why a Progress Report Card?</b>   | 7  |
| Method to Evaluate Pain Policies   | 8  |
| Quantifying the Quality of State Pain Policies   | 9  |
| <b>Making the Grade: How Do the States Rate?</b>   | 11 |
| Highlights of the 2007 Grades  | 12 |
| Did Grades Change from 2000 to 2007?   | 13 |
| How Did Grades Change between 2006 and 2007?   | 14 |
| Interesting New Policies   | 15 |
| Improvements in Pain Management Policy   | 15 |
| Some Negative Policy Changes   | 17 |
| <b>Current Status of Balance in State Pain Policy</b>  | 18 |
| Implications for Future Policy Change Actions  | 18 |
| <b>Conclusion</b>  | 19 |
| <b>Recommendations for Improving State Grades</b>  | 20 |
| <b>Tables, Figure, Capsules, and Appendices</b>  |    |
| Table 1: Policy Research Terms   | 7  |
| Table 2: The Central Principle of Balance  | 8  |
| Table 3: Criteria Used to Evaluate State Pain Policies   | 9  |
| Table 4: State Grades for 2007   | 12 |
| Table 5: State Grades for 2000, 2003, 2006, and 2007   | 13 |
| Table 6: Grade Change in State Pain Policy Between March 2006 and March 2007                                       | 14 |
| Figure 1: State Grades for 2007  | 11 |
| Capsule 1: Fear of Regulatory Investigation for Prescribing Opioids (Evaluation Criterion #5)                      | 10 |
| Capsule 2: Confusion About Addiction-Related Terms (Evaluation Criteria #7 & #11)                                  | 10 |
| Appendix A: Authoritative Sources for the Central Principle of Balance   | 22 |
| Appendix B: Method to Assign Grades  | 25 |
| Appendix C: State Grades for Positive & Negative Provisions—2000, 2003, 2006, and 2007                             | 26 |
| Appendix D: How Language from Healthcare Regulatory Policy<br>has Fulfilled the Categories of Criterion #8         | 27 |
| Appendix E: Number of States in 2007 with Policy Language Having Potential<br>to Enhance or Impede Pain Management | 28 |
| <b>References</b>  | 29 |



## EXECUTIVE SUMMARY

Pain, sometimes severe and debilitating, is associated with a variety of diseases including cancer, sickle-cell anemia, HIV/AIDS and other chronic conditions. Adequate pain relief contributes to improved health and can restore patients' functioning and quality of life. Unfortunately, inadequate relief of pain continues to occur all too often. The devastating effects of unrelieved pain are tragic and expensive, and ironic in light of the modern medicine available in the U.S. that frequently does not reach those in need. Untreated or undertreated pain typically results from a failure to apply existing knowledge about pain management, and not from the lack of effective treatment modalities.

Controlled substances, including opioid pain medications, have a well-recognized role in managing pain, particularly when it is severe. But these medications also have a potential for abuse. The controlled substances and professional practice policies enacted to govern these medications and prevent abuse always come into play when healthcare practitioners use opioids to relieve pain. In fact, governments are obligated not only to establish a system of drug controls to prevent abuse and diversion, but also to ensure the adequate medical availability of needed medications. This is the Central Principle of Balance, which is the foundation of this research report. Balanced policies have the potential to enhance pain management while avoiding the potential to interfere with such treatment.

Most if not all states have policies recognizing that pain management and the use of controlled substances is part of quality medical practice. Some states – but far from all – have adopted policies recognizing that controlled substances are necessary for public health, that medical education should address pain management and palliative care, and that patient care facilities have a responsibility to assess and treat pain. In addition, for decades physicians have reported being reluctant to prescribe opioids because of fear of the stress, expense, and consequences of being investigated by licensing agencies or law enforcement. These fears have profound implications for practitioners' willingness to consider these medications as a viable treatment option and can, as a result, hinder patient access to adequate pain relief. Many states have adopted model policies that explicitly reassure licensees but, in other states, policy remains silent.

Despite the adoption in recent years of policies intended to encourage the appropriate use of controlled substances for pain management, treating pain using opioids continues to be unduly restricted by some states' laws reflecting medical opinions that were discarded decades ago. Practices that are medically inappropriate by today's standards include considering opioids as a treatment of last resort, equating drug addiction with the long-term use of opioids to manage pain, requiring "drug holidays" for patients with chronic pain, and restricting the amount of medication that can be prescribed at one time regardless of patient need. Although many states have adopted model policies that avoid creating these potential barriers, such standards remain common in today's state laws. Efforts to improve policy must also focus on removing these archaic requirements and limitations from state legislation and regulations.

It is clear that arbitrary or outdated standards can create policy requirements that restrict patient access to treatment. In addition to the above examples, treatment restrictions can even be based on certain patient characteristics, such as when a patient has pain but also has an addictive disease. Although treating such a patient calls for special clinical skills, extra monitoring, and possibly a consultation with an addiction medicine specialist, some states prohibit treating such patients with controlled substances in all circumstances. These policies create treatment disparities that can adversely impact patients' health outcomes.

# EXECUTIVE SUMMARY



The focus of this report is the extent that controlled substances and professional practice policies contain language that can potentially enhance or impede pain management. A research methodology was developed to grade each state based on the quality of its pain policy; state grades are presented for 2000, 2003, 2006, and 2007, to allow study of policy change over time.

The report concludes that state pain policies are becoming more balanced, even compared to last year. Since 2006:

- 23 states had policy change, and in 8 of those states the change was sufficient to improve their grade,
- Kansas and Wisconsin achieved an A in 2007, and join Michigan and Virginia as the most balanced pain policies in the country,
- 86% of states now have a grade above a C,
- California and Wisconsin showed the greatest improvement: California increased from a C to a B and Wisconsin increased from a B to an A,
- No state's grade decreased in the last year or even since 2000.

The policy improvement that occurred between 2006 and 2007 was the result of: (1) state healthcare regulatory boards adopting policies encouraging pain management, palliative care, or end-of-life care, and (2) state legislatures repealing restrictive or ambiguous policy language, including repealing problematic language from Intractable Pain Treatment Acts and related regulations.

The momentum of positive policy change, first reported in 2003, continues to endure. This improvement supports the conclusion that government agencies are recognizing the need to remove regulatory barriers and encourage appropriate treatment of pain. Experience around the country is showing that a valuable state governmental mechanism to achieve more balanced policy is the use of task forces, advisory councils, and summit meetings to examine the need for changes in state pain policy. Most states now face the challenge not only of adopting positive policies, but of removing restrictive language from legislation or regulations. Even for states that have achieved an A, there remains the potential for additional policy activity (however well-intentioned) that might introduce potentially restrictive requirements or limitations. Continued efforts to enhance pain management through state policy must avoid unintended restrictions or ambiguities in order to maintain grade improvements.

This *Progress Report Card*, used in conjunction with [\*Achieving Balance in Federal and State Pain Policy: A Guide to Evaluation \(Fourth edition\)\*](#), provides a framework for deciding which policies should be removed, as well as example language to guide the development of new and more balanced policies. Balance in pain policy can be achieved and maintained if policymakers, healthcare professionals, and regulatory agencies work together and take advantage of available policy resources. In this way, we can establish a more positive regulatory and practice environment for the relief of pain in all patients, including those who are challenged by cancer, HIV/AIDS, sickle-cell anemia, and other painful conditions.



# ACKNOWLEDGMENTS, CITATION, NOTES TO READER

## Acknowledgments

We appreciate the thoughtful comments provided by the following reviewers in 2006: Matt Bromley; Myra Christopher; June L. Dahl, PhD; Amy Goldstein, MSW; William Marcus, JD; Patricia Trotta, RN; and Robert Twillman, PhD.

## Citation

This report may be quoted or reproduced in whole or in part for educational purposes with the following citation:

Pain & Policy Studies Group. *Achieving Balance in State Pain Policy: A Progress Report Card (Third edition)*. University of Wisconsin Paul P. Carbone Comprehensive Cancer Center. Madison, Wisconsin, 2007.

## Notes to the Reader

This project was supported by “Benchmarking State Policies for Cancer Pain and Palliative Care” (SIRSG-06-095-01) from the [American Cancer Society](#), a grant from [Susan G. Komen for the Cure](#), and through a cooperative agreement with the [Lance Armstrong Foundation](#).

This document is one product of the ongoing research program of the Pain & Policy Studies Group. Our purpose for making these data available is to promote education and policy change. However, their use for research purposes is limited to those who are affiliated with the Pain & Policy Studies Group, or by permission.

The results presented herein pertain to identified policies adopted through March 2007. The material in this report does not represent legal or medical advice. Individuals interested in more current policy information, or in using these results to implement change, can contact the PPSG office at the address below.

This publication is available on the PPSG website at [www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu). Requests, comments, and suggestions can be directed to:

Pain & Policy Studies Group  
University of Wisconsin School of Medicine and Public Health  
Paul P. Carbone Comprehensive Cancer Center  
406 Science Drive, Suite 202  
Madison, WI 53711  
Tel: 608-263-7662, Fax: 608-263-0259  
Email: [ppsg@med.wisc.edu](mailto:ppsg@med.wisc.edu)



# INTRODUCTION



## Unrelieved Pain Continues to Burden Americans

It is well-documented that unrelieved pain continues to be a serious public health problem for the general population in the United States.<sup>1-8</sup> This issue is particularly salient for children,<sup>9-14</sup> the elderly,<sup>15-18</sup> minorities,<sup>19-25</sup> for patients with active addiction or a history of substance abuse<sup>26-30</sup> or who have developmental disabilities,<sup>31-32</sup> as well as for those with serious diseases such as cancer,<sup>33-40</sup> HIV/AIDS,<sup>9,41-45</sup> or sickle-cell anemia.<sup>46-48</sup> Clinical experience has demonstrated that adequate pain management leads to enhanced functioning and quality of life, while uncontrolled chronic pain contributes to disability and despair.

## Pain can be Relieved

There are many effective drug and non-drug approaches to manage pain, which vary according to the individual needs of the patient. However, there is a recognition that controlled substances, including opioid analgesics (sometimes called by the archaic legal name, “narcotic”), are necessary to maintain public health,<sup>49</sup> and that they are a mainstay of pain treatment for cancer and HIV/AIDS, particularly if pain is severe.<sup>33,40,50-54</sup> Although their use for the relief of a variety of chronic non-cancer pain conditions remains controversial,<sup>55</sup> they also can be clinically beneficial.<sup>56-57</sup>

## The Gap Between Knowledge and Practice

Medical science has contributed important new knowledge about pain management in the last 25 years, but incorporation of this knowledge into practice has been slow and remains incomplete. A gap exists between what is known about pain management and what is done by healthcare professionals and institutions. Whether a particular patient can obtain adequate pain relief depends on many factors in the healthcare and drug regulatory system; these factors, such as professional and institutional practices, can be influenced either positively or negatively by policy. The connection among policy, professional and institutional practices, and patient care is complex, but the overarching public health goal is to develop policies that (if implemented) can enhance healthcare for patients, including pain treatment, and to avoid policies that can interfere in that care. Policies that encourage pain management and consider it and the use of controlled substances to be an expected part of healthcare practice are preferable to those policies that provide no positive guidance to professionals treating patients’ pain, or which are based on incorrect scientific knowledge or that establish unnecessary or unduly strict prescribing requirements.

## Influence of Drug Abuse Control Policy

Opioid medications also have a potential for abuse. Consequently, opioids and the healthcare professionals who prescribe, administer, or dispense them are regulated pursuant to federal and state controlled substances policies, as well as under state laws and regulations that govern professional practice.<sup>58-59</sup> Such policies are intended only to prevent illicit trafficking, drug abuse and substandard practice related to prescribing and patient care; however, in some states these policies go well beyond the usual framework of controlled substances and professional practice policy, and can negatively affect legitimate medical practices and create undue burdens for practitioners and patients.<sup>60-62</sup>

Some state policies that do not conform to or conflict with current standards of professional practice can interfere with pain management by:

- Unduly restricting the amounts that can be prescribed and dispensed,
- Unduly restricting the period for which prescriptions are valid,
- Restricting access to patients with pain who also have a history of substance abuse,
- Requiring special government-issued prescription forms only for the medications that are capable of relieving pain that is severe,
- Requiring opioids to be a treatment of last resort, and
- Using outdated definitions that confuse pain management with addiction.



Further, policies that have been recommended to encourage pain management are frequently absent from state policies. For example, some states have not yet adopted policies which recognize that:

- Controlled substances are necessary for the public health (as does federal law).<sup>49</sup>
- Pain management is an integral part of the practice of medicine (as does the Federation of State Medical Board's *Modern Medical Practice Act*).<sup>63</sup>
- The legitimacy of a practitioner's prescribing is not based solely on the amount or duration of the prescription (as does the Federation of State Medical Board's *Model Policy for the Use of Controlled Substances for the Treatment of Pain*).<sup>64-67</sup>
- Physicians should not fear regulatory sanctions for appropriately prescribing controlled substances for pain (as does the Federation of State Medical Board's *Model Policy for the Use of Controlled Substances for the Treatment of Pain*).<sup>64-67</sup>
- Physical dependence or tolerance are not synonymous with addiction (as does the Federation of State Medical Board's *Model Policy for the Use of Controlled Substances for the Treatment of Pain*).<sup>64-67</sup>

## The Imperative to Evaluate Pain Policy

Many international and national authorities, including the World Health Organization (WHO), the International Narcotics Control Board (INCB), the Institute of Medicine (IOM), the American Cancer Society (ACS), and the National Institutes of Health (NIH), have called attention to the inadequate treatment of pain and have concluded that it is due in part to drug abuse control policies that impede medical use of opioids. These authorities have recommended evaluation and improvement of pain policies. For example, following a review of the reasons for inadequate cancer pain relief, the INCB asked all governments in the world to:

*"...examine the extent to which their health-care systems and laws and regulations permit the use of opiates for medical purposes, identify possible impediments to such use and develop plans of action to facilitate the supply and availability of opiates for all appropriate indications"* (p. 17).<sup>68</sup>

The WHO has stated that better pain management could be achieved throughout the world if governments used evaluation guidelines to identify and overcome regulatory barriers to the availability and appropriate medical use of opioid analgesics.<sup>53,69</sup>

In the U.S., the IOM Committee on Opportunities in Drug Abuse Research called for:

*"...additional research on the effects of controlled substance regulations on medical use and scientific research. Specifically, these studies should encompass the impact of such regulations and their enforcement on prescribing practices and patient outcomes in relation to conditions such as pain...[and]... for patients with addictive disorders"* (p. 259).<sup>58</sup>

The IOM Committee on Care at the End of Life recommended:

*"...review of restrictive state laws, revision of provisions that deter effective pain relief, and evaluation of the effect of regulatory changes on state medical board policies..." [and] "reform [of] drug prescription laws, burdensome regulations, and state medical board policies and practices that impede effective use of opioids to relieve pain and suffering"* (pp. 198, 267).<sup>2</sup>

The IOM Committee on Cancer Control in Low- and Middle-Income Countries recently restated the need to address the negative impact that overly-restrictive drug control efforts can have on medical availability:

*"Governments should collaborate with national organizations and leaders to identify and remove barriers to ensure that opioid pain medications, as well as other essential palliative care medicines, are available under appropriate control. The INCB and WHO should provide enhanced guidance and support, and assist governments with this task"* (p. 250).<sup>71</sup>

In 2001, the ACS stated that "...additional and sustained efforts are needed to ensure that new barriers are not erected and that adequate pain relief for cancer patients is assured" (p. 3).<sup>72</sup> The NIH concluded that "Regulatory barriers need to be revised to maximize convenience, benefit, and compliance..." (p. 15).<sup>4</sup>



# WHY A PROGRESS REPORT CARD?

This *Progress Report Card* (*Progress Report Card 2007*), funded by grants from the [American Cancer Society](#) and [Susan G. Komen for the Cure](#), and through a cooperative agreement with the [Lance Armstrong Foundation](#), is the latest in a sequence of reports<sup>73-74</sup> developed to evaluate state policies that affect pain management.<sup>a</sup> It is a tool that can be used by government and non-government organizations, as well as policymakers, healthcare professionals, and advocates, to understand the policies in their state that reinforce the right to pain management and that can hinder patient access to effective treatment. Ultimately, policy improvement efforts guided by the *Progress Report Card 2007* will achieve more positive and consistent state policy on the medical use of controlled substances for pain management (both cancer and non-cancer pain), palliative care, and end-of-life care. The policy changes that are needed do not interfere with the underlying principle that opioid analgesics may only be provided for legitimate medical purposes by licensed healthcare practitioners acting in the usual course of their professional practice. The policy research terms used in this report are defined in Table 1.

**Table 1: Policy Research Terms**

**Pain policy** refers to federal or state policy that relates to pain management, and is generally found in two categories:

**Pain-specific** policies directly address pain and its management, such as medical board pain treatment guidelines.

**Pain-related** policies do not directly address pain management but contain provisions that could ultimately affect its treatment, such as state acts that address generally the prescribing and dispensing of controlled substances.

Within pain policies are:

**Provisions:** policy language that was identified as satisfying an evaluation criterion, and include

**positive provisions**, which are those parts of a policy identified in the evaluation that have the potential to enhance pain management, and

**negative provisions**, which are those parts of a policy identified in the evaluation that have the potential to impede pain management.

**Policy change** is the addition or removal of provisions; sufficient policy change in a state will produce a **grade change** for that state.

## Policy Types

**Law** is a broad term that refers to rules of conduct with binding legal force adopted by a legislative or other government body at the international, federal, state or local levels. Law can be found in treaties, constitutional provisions, decisions of a court, and include both statutes and regulations. The most common laws are the statutes enacted by a legislature, such as an Intractable Pain Treatment Act (IPTA), or those that create prescription monitoring programs or pain advisory councils, or license healthcare facilities.

**Regulation** is an official policy issued by an agency of the executive branch of government pursuant to statutory authority. Regulations are found in the state administrative code. Regulations have binding legal force and are intended to implement the administrative policies of a statutorily-created agency. For example, regulations issued by licensing boards according to a state's administrative procedures statute govern professional conduct, and establish what conduct is or is not acceptable for those regulated by the agency (such as physicians, pharmacists, and nurses). Regulations of state agencies may not exceed the agency's statutory authority.

**Guideline** means an officially-adopted policy issued by a government agency to express the agency's attitude about, or position on, a particular matter. Although guidelines do not have binding legal force, they may help those regulated by an agency to better understand the regulating agency's standards of practice. A number of state medical boards have issued guidelines regarding the medical use of opioid analgesics, which describe conduct the board considers to be within the professional practice of medicine; some pharmacy and nursing boards have issued similar guidelines. "Guidelines" may also include an officially adopted position statement that appears in a position paper, report, article, letter or agency newsletter.

<sup>a</sup> Federal policy was not included in this report card because such policy does not regulate professional practice. Evaluation of federal policies is available in the [Evaluation Guide 2007](#), at [www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu).



# WHY A PROGRESS REPORT CARD?

Based on findings from four separate PPSG evaluations of state pain policies,<sup>75-78</sup> each state has been assigned a grade for 2000, 2003, 2006, and 2007. To measure progress, the PPSG compared states' grades from 2007 with their grades from 2000, 2003, and 2006.

The *Progress Report Card 2007* is the result of policy research and is not a “position statement” about a state’s pain policies. The use of a single index to compare states can draw the attention of state policy-makers and healthcare professionals to the need to evaluate and improve the regulatory policy environment for pain management.<sup>b</sup> We recognize that a grade may oversimplify the interpretation of a state’s policies. Therefore, we are making available detailed information about the specific statutes, regulations, and guidelines that PPSG evaluated in each state; these are in the *Evaluation Guide 2007*, which is the companion document to the *Progress Report Card 2007*. These tools can be used by government and non-government organizations, as well as policymakers, healthcare professionals, and advocates, to understand the policies in their state that reinforce the right to pain management and that can hinder patient access to effective treatment. In addition, the PPSG provides the complete text of each state’s pain-specific (but not pain-related) policies on its website at [www.painpolicy.wisc.edu/matrix.htm](http://www.painpolicy.wisc.edu/matrix.htm).

## Method to Evaluate Pain Policies

The *Evaluation Guide 2007* describes methods that PPSG has developed with peer review to evaluate pain policies using a central principle, criteria, and procedures to collect policies and identify relevant policy provisions.<sup>78</sup>

### The Central Principle of Balance

The Central Principle of Balance, which is defined in Table 2, guides this evaluation of pain policies influencing pain management. The main idea is that drug control and professional practice policies and their implementation should be balanced so efforts to prevent diversion and abuse do not interfere in the medical use of opioid analgesics for patient care.

**Table 2: The Central Principle of Balance**

The **Central Principle of Balance** represents a dual obligation of governments to establish a system of controls to prevent abuse, trafficking, and diversion of narcotic drugs while, at the same time, ensuring their medical availability.

#### Medical availability

- While opioid analgesics are controlled drugs, they are also essential drugs and are absolutely necessary for the relief of pain.
- Opioid analgesics should be accessible to all patients who need them for relief of pain.
- Governments must take steps to ensure the adequate availability of opioids for medical and scientific purposes, including:
  - empowering medical practitioners to provide opioids in the course of professional practice,
  - allowing them to prescribe, dispense and administer according to the individual medical needs of patients, and
  - ensuring that a sufficient supply of opioids is available to meet medical demand.

#### Drug control

- When misused, opioids pose a threat to society.
- A system of controls is necessary to prevent abuse, trafficking, and diversion, but the system of controls is not intended to diminish the medical usefulness of opioids, nor interfere in their legitimate medical uses and patient care.

(Adapted from Pain & Policy Studies Group. *Achieving Balance in Federal and State Pain Policy: A Guide to Evaluation, Fourth Edition*. Madison, WI: Pain & Policy Studies Group, University of Wisconsin Paul P. Carbone Comprehensive Cancer Center; 2007.)

<sup>b</sup> The adequacy of controls to prevent diversion and abuse of controlled substances is also a valid topic for the evaluation of policy. The purpose of this document is to evaluate policies affecting drug availability, medical practice, and pain management, rather than drug abuse prevention and control.

# WHY A PROGRESS REPORT CARD?



Appendix A documents the sources of legal and medical authority from which the PPSG derived the Central Principle of Balance.

## The Evaluation Criteria

The PPSG developed 16 criteria based on the Central Principle of Balance. They are divided into two categories and are used to identify positive and negative provisions in all state<sup>c</sup> statutes, regulations, and guidelines and official governmental policy statements (see Table 3 for a list of the individual criteria).

## Quantifying the Quality of State Pain Policies

The state grades measure the quality of state policy influencing pain management, in relation to the Central Principle of Balance, and are based on the frequency of provisions in a state that meet the evaluation criteria; *the higher the grade, the more balanced are a state's policies regarding opioid availability and pain management*. Appendix B contains a complete explanation of the grading methodology.

**Table 3: Criteria Used to Evaluate State Pain Policies**

### **Positive provisions: Criteria that identify policy language with the potential to enhance pain management**

1. Controlled substances are recognized as necessary for the public health
2. Pain management is recognized as part of general medical practice
3. Medical use of opioids is recognized as legitimate professional practice
4. Pain management is encouraged
5. Practitioners' concerns about regulatory scrutiny are addressed
6. Prescription amount alone is recognized as insufficient to determine the legitimacy of prescribing
7. Physical dependence or analgesic tolerance are not confused with "addiction"
8. Other provisions that may enhance pain management
  - Category A: Issues related to healthcare professionals
  - Category B: Issues related to patients
  - Category C: Regulatory or policy issues

### **Negative provisions: Criteria that identify policy language with the potential to impede pain management**

9. Opioids are considered a treatment of last resort
10. Medical use of opioids is implied to be outside legitimate professional practice
11. Physical dependence or analgesic tolerance are confused with "addiction"
12. Medical decisions are restricted
  - Category A: Restrictions based on patient characteristics
  - Category B: Mandated consultation
  - Category C: Restrictions regarding quantity prescribed or dispensed
  - Category D: Undue prescription limitations
13. Length of prescription validity is restricted
14. Practitioners are subject to additional prescription requirements
15. Other provisions that may impede pain management
16. Provisions that are ambiguous
  - Category A: Arbitrary standards for legitimate prescribing
  - Category B: Unclear intent leading to possible misinterpretation
  - Category C: Conflicting (or inconsistent) policies or provisions

<sup>c</sup> The District of Columbia is treated as a state.

# WHY A PROGRESS REPORT CARD?



Two capsules are provided to elucidate the relevance of selected evaluation criteria, showing how policy relates to healthcare practice and patient care.

## **Capsule 1: Fear of Regulatory Investigation for Prescribing Opioids Evaluation Criterion #5**

### **Patients**

“With everything that is out there with these medicines, aren’t you and your license in danger for prescribing this kind of medicine?” (Statement from patient in a large university chronic pain program.)

### **Physicians**

Some physicians report that concern about being investigated by regulatory and licensing agencies when prescribing opioid medications for patients, including those with cancer pain or chronic non-cancer pain, leads them to prescribe lower doses or quantities of pain medication and to authorize fewer refills.<sup>79-80</sup>

### **Regulators**

Some members of state medical boards that license and investigate physicians state believe that prescribing opioids to patients with chronic non-cancer pain *should* be discouraged or investigated.<sup>65,81</sup>

### **State Pain Policies**

In the last decade, 39 state legislatures and medical boards have adopted policies that recognize and address physicians’ concerns about being investigated for prescribing opioid pain medications.

### **Conclusion**

Despite a growing effort by policymakers and regulators, the fear of regulatory scrutiny remains a significant impediment to pain relief and will take years of further policy development, communication, and education to overcome.

## **Capsule 2: Confusion about Addiction-Related Terms Evaluation Criteria #7 & #11**

### **Patients**

“...I was openly accused of being an ‘addict’ and of falsely reporting chronic pain just to obtain prescription drugs.”<sup>82</sup> Some cancer patients refuse pain treatment for fear of becoming addicted.<sup>8,83-84</sup>

### **Physicians and Pharmacists**

Some physicians express concern that addiction or drug abuse will develop when prescribing to patients with cancer or chronic non-cancer pain.<sup>80,85</sup> Some pharmacists lack knowledge of the crucial distinction between addiction, physical dependence, and tolerance.<sup>86-87</sup>

### **Regulators**

Some state medical regulators do not understand the meaning of “addiction,” but educational efforts have led to improvements in their knowledge of this concept.<sup>65,81</sup>

### **State Pain Policies**


In the last decade, 36 state healthcare regulatory boards have adopted policies that correctly define addiction-related terms. Despite this progress, 16 states still have inaccurate definitions that would allow pain management to be confused with addiction.<sup>78,88</sup>

### **Conclusion**


Confusion about addiction leads to overestimation of its prevalence and is a significant impediment to pain relief. Recently-adopted state policies and improved knowledge of regulators are steps in the right direction; however, a much greater systematic effort will be needed to clarify policy and educate policy makers, healthcare practitioners and patients so that concerns about addiction are based on an accurate understanding of this disease and do not interfere with pain management.







Readers are referred to the [Evaluation Guide 2007](#), a companion to this report, for a more detailed discussion of the imperative to evaluate policy, the Central Principle of Balance, the evaluation criteria, the method used to evaluate state policies, and the text of the policy provisions that were identified in each state.

# MAKING THE GRADE: HOW DO THE STATES RATE?



**State Grades for 2007 :** States' grades for 2007 are presented in Figure 1 and Table 4. Again, a state's grade represents the quality of its policies affecting pain treatment, based on the Central Principle of Balance, and is calculated from the total number of provisions in a state fulfilling the evaluation criteria; higher grades mean more balanced state policies influencing opioid availability and pain management (see Appendix B for a complete description of the grading methodology).



| <b>A</b>  | <b>B+</b>  | <b>B</b>   | <b>C+</b>    | <b>C</b>  | <b>D+</b>  | <b>D</b> | <b>F</b> |
|--|---|---|---|---|---|----------|----------|
| 4 states<br>9% of US pop.  | 7 states<br>8% of US pop.   | 21 states<br>41% of US pop.   | 12 states<br>16% of US pop.   | 6 states<br>23% of US pop.  | 1 state<br>3% of US pop.  | None     | None     |
| Kansas<br>Michigan<br>Virginia<br>Wisconsin  | Alabama<br>Arizona<br>Massachusetts<br>Nebraska<br>New Mexico<br>Oregon<br>Vermont            | Arkansas<br>California<br>Colorado<br>Connecticut<br>Florida<br>Hawaii<br>Idaho<br>Iowa<br>Kentucky<br>Maine<br>Maryland<br>Minnesota<br>New Hampshire<br>North Carolina<br>North Dakota<br>Ohio<br>Rhode Island<br>South Dakota<br>Utah<br>Washington<br>West Virginia | Alaska<br>Delaware<br>Dist. of Columbia<br>Indiana<br>Mississippi<br>Missouri<br>Montana<br>New Jersey<br>Oklahoma<br>Pennsylvania<br>South Carolina<br>Wyoming | Illinois<br>Louisiana<br>Nevada<br>New York<br>Tennessee<br>Texas                             | Georgia   |          |          |

# MAKING THE GRADE: HOW DO THE STATES RATE?



**Table 4: State Grades for 2007**

| STATES | 2007 GRADES | STATES | 2007 GRADES |
|--------|-------------|--------|-------------|
| AL     | B+          | MT     | C+          |
| AK     | C+          | NE     | B+          |
| AZ     | B+          | NV     | C           |
| AR     | B           | NH     | B           |
| CA     | B           | NJ     | C+          |
| CO     | B           | NM     | B+          |
| CT     | B           | NY     | C           |
| DE     | C+          | NC     | B           |
| DC     | C+          | ND     | B           |
| FL     | B           | OH     | B           |
| GA     | D+          | OK     | C+          |
| HI     | B           | OR     | B+          |
| ID     | B           | PA     | C+          |
| IL     | C           | RI     | B           |
| IN     | C+          | SC     | C+          |
| IA     | B           | SD     | B           |
| KS     | A           | TN     | C           |
| KY     | B           | TX     | C           |
| LA     | C           | UT     | B           |
| ME     | B           | VT     | B+          |
| MD     | B           | VA     | A           |
| MA     | B+          | WA     | B           |
| MI     | A           | WV     | B           |
| MN     | B           | WI     | A           |
| MS     | C+          | WY     | C+          |
| MO     | C+          |        |             |

## Highlights of the 2007 Grades

- 12% of states received an average grade of C, while 86% scored above a C and only 2% fell below the average.
- Kansas and Wisconsin received an A, joining Michigan and Virginia as the only states to receive an A; no state received a D or F.
- Four distinct regional patterns emerged: New England states (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont), states in the northern Midwest (Iowa, Minnesota, Nebraska, North Dakota, South Dakota and Wisconsin), and the Northwestern states of Idaho, Oregon, and Washington, all received a grade of B or above, while the middle Northeastern states of Delaware, New Jersey, New York, and Pennsylvania received a grade of either C or C+.
- The four states achieving an A comprise 9% of the total U.S. population. States with a B or B+ make up almost 50% of the U.S. population, largely owing to the influence of there being 28 states in these grade categories (three of the states being California, Florida, and Ohio, which are the 1st, 4th, and 7th most populated states, respectively). Another 40% of the U.S. population live in the 18 states that have a grade of C or C+, primarily owing to the populations of Illinois, New Jersey, New York, Pennsylvania, and Texas.



# MAKING THE GRADE: HOW DO THE STATES RATE?



## Did Grades Change from 2000 to 2007?

To evaluate changes that occurred over the last seven years, 2007 grades were compared with the 2000, 2003, and 2006 grades (see Table 5).

**Table 5: State Grades for 2000, 2003, 2006 and 2007**

| STATES | 2000 GRADES | 2003 GRADES | 2006 GRADES | 2007 GRADES | STATES          | 2000 GRADES | 2003 GRADES | 2006 GRADES | 2007 GRADES |
|--------|-------------|-------------|-------------|-------------|-----------------|-------------|-------------|-------------|-------------|
| AL     | B           | B           | B+          | B+          | MT              | C+          | C+          | C+          | C+          |
| AK     | C           | C+          | C+          | C+          | NE              | B+          | B+          | B+          | B+          |
| AZ     | B           | B           | B           | B+          | NV              | D+          | C           | C           | C           |
| AR     | C+          | C+          | B           | B           | NH              | C           | C+          | C+          | B           |
| CA     | C           | C           | C           | B           | NJ <sup>d</sup> | D+          | C           | C+          | C+          |
| CO     | C           | C           | C+          | B           | NM              | B           | B+          | B+          | B+          |
| CT     | C           | C           | C+          | B           | NY              | D           | C           | C           | C           |
| DE     | C+          | C+          | C+          | C+          | NC              | B           | B           | B           | B           |
| DC     | D+          | D+          | C+          | C+          | ND              | C           | C           | B           | B           |
| FL     | B           | B           | B           | B           | OH              | B           | B           | B           | B           |
| GA     | D+          | D+          | D+          | D+          | OK              | C+          | C+          | C+          | C+          |
| HI     | C           | C           | B           | B           | OR              | C+          | C+          | B+          | B+          |
| ID     | C           | C+          | B           | B           | PA              | C+          | C+          | C+          | C+          |
| IL     | C           | C           | C           | C           | RI              | D+          | D+          | B           | B           |
| IN     | C           | C+          | C+          | C+          | SC              | C+          | C+          | C+          | C+          |
| IA     | C+          | B           | B           | B           | SD              | B           | B           | B           | B           |
| KS     | C+          | B+          | B+          | A           | TN              | D           | C           | C           | C           |
| KY     | D+          | C+          | B           | B           | TX              | C           | C           | C           | C           |
| LA     | C           | C           | C           | C           | UT              | C+          | C+          | B           | B           |
| ME     | B           | B           | B           | B           | VT              | C           | C+          | B+          | B+          |
| MD     | C+          | B           | B           | B           | VA              | B           | B           | A           | A           |
| MA     | C           | B           | B           | B+          | WA              | B           | B           | B           | B           |
| MI     | B           | A           | A           | A           | WV              | C+          | B           | B           | B           |
| MN     | C+          | C+          | B           | B           | WI              | C           | C+          | B           | A           |
| MS     | C           | C           | C+          | C+          | WY              | C           | C           | C+          | C+          |
| MO     | D+          | C+          | C+          | C+          |                 |             |             |             |             |

- Almost half (49%) of states received above a C in 2000, increasing to 67% in 2003, 84% in 2006, and 86% in 2007.
- Kansas and Wisconsin achieved an A in 2007.
- No state's grade decreased from 2000 to 2007.

<sup>d</sup> New Jersey's 2000, 2003, and 2006 grades were re-calculated based on a change to how its medical board regulation was evaluated.

# MAKING THE GRADE: HOW DO THE STATES RATE?



## How Did Grades Change Between 2006 and 2007?

- 23 of 51 states (45%) changed their policies; the policy changes were sufficient in 8 of these states to produce a positive grade change.
- Of the 8 states that improved, California and Wisconsin had the greatest improvement. California moved from a C to a B due to the repeal of eight restrictive or ambiguous provisions from the Controlled Substances Act, the Professional Practice Act, the Medical Practice Act, and the Intractable Pain Treatment Act: Criterion #10, Criterion #12 (Category A), Criterion #12 (Category B), #16 (Category A), and #16 (Category B) (see Table 3 for a description of the criteria). Wisconsin moved from a B to an A because its medical board adopted a pain management policy statement that fulfilled the following seven positive criteria: Criterion #2, Criterion #3, Criterion #4, Criterion #5, Criterion #7, Criterion #8 (Category B), and Criterion #8 (Category C) (see Table 3 for a description of the criteria).
- 43 states made no policy changes sufficient to make a difference in their grade (see Table 6).

**Table 6: Grade Change in State Pain Policy  
Between March 2006 and March 2007**

| Positive Change – 8 states | No Change – 43 states |                |
|----------------------------|-----------------------|----------------|
| Arizona                    | Alabama               | New Jersey     |
| California                 | Alaska                | New Mexico     |
| Colorado                   | Arkansas              | New York       |
| Connecticut                | Delaware              | North Carolina |
| Kansas                     | District of Columbia  | North Dakota   |
| Massachusetts              | Florida               | Ohio           |
| New Hampshire              | Georgia               | Oklahoma       |
| Wisconsin                  | Hawaii                | Oregon         |
|                            | Idaho                 | Pennsylvania   |
|                            | Illinois              | Rhode Island   |
|                            | Indiana               | South Carolina |
|                            | Iowa                  | South Dakota   |
|                            | Kentucky              | Tennessee      |
|                            | Louisiana             | Texas          |
|                            | Maine                 | Utah           |
|                            | Maryland              | Vermont        |
|                            | Michigan              | Virginia       |
|                            | Minnesota             | Washington     |
|                            | Mississippi           | West Virginia  |
|                            | Missouri              | Wyoming        |
|                            | Montana               |                |
|                            | Nebraska              |                |
|                            | Nevada                |                |

# MAKING THE GRADE: HOW DO THE STATES RATE?



## Interesting New Policies

Although not usually contributing to the positive grade changes observed between 2006 and 2007, the following policies are of interest:

- 8 states adopted laws that establish prescription monitoring programs covering multiple schedules of medications (e.g., Schedules II-IV), which recognize that these programs are created to prevent the illegal use of controlled substances and are not to infringe on legitimate professional practice and patient care; this statement directly supports the Central Principle of Balance. One state (Texas) continues to have a government-issued prescription form requirement for Schedule II controlled substances only.
- 5 states adopted laws establishing pain management standards for healthcare facilities, including hospitals, hospices, and nursing homes.
- Oregon adopted laws mandating continuing education in pain management for pharmacists, and that established a Pain Management Commission as a mechanism to provide healthcare practitioners education about pain management.
- Wyoming adopted legislation to develop a comprehensive cancer control plan to address pain and palliative care issues to improve the quality of life for patients with cancer.

## Improvements in Pain Management Policy

State grades for balanced policy continued to improve notably from 2006 to 2007. As in the previous *Progress Report Card* (*Progress Report Card* 2006), the driving force for positive policy change was state healthcare regulatory boards that adopted several types of policies encouraging pain management or palliative care; however, such policy adoption resulted in grade improvement in only two states. A less frequent source of positive policy change was the repeal of restrictive or ambiguous language from statute or regulation.

## HEALTHCARE REGULATORY BOARD POLICIES

### The Federation's Model Policies

To promote consistency in state medical board policy, in 1998 the Federation of State Medical Boards of the U.S. (the Federation) adopted *Model Guidelines for the Use of Controlled Substances for the Treatment of Pain* (*Model Guidelines*).<sup>89</sup> In May 2004, the Federation's House of Delegates unanimously adopted a revision of the *Model Guidelines*, called the *Model Policy for the Use of Controlled Substances for the Treatment of Pain* (*Model Policy*).<sup>64</sup> The revision is substantially similar to the 1998 guidelines, but additionally recommends that state boards consider failure to treat pain as subject to professional discipline. Many state medical regulatory boards have participated in pain management workshops sponsored by the Federation and the PPSG and subsequently adopted the *Model Guidelines* or *Model Policy* to encourage better pain management and to address physicians' fear of investigation.<sup>61,90-91</sup> The trend of state medical boards adopting policies on pain management has resulted in positive changes in state pain policies<sup>92</sup> and also in efforts to communicate them to practitioners and the public.<sup>93-94</sup>

As of March 2007, a total of 29 states had adopted either the *Model Guidelines* or *Model Policy* in whole or in part.<sup>c</sup> In the last year, four states (Arizona, South Dakota, Texas, and Wisconsin) adopted medical board regulatory policies based on the Federation's *Model Policy*. The *Model Policy* does not have any negative provisions; states that adopt it fully receive the greatest number of positive provisions (9) from a single policy: Criteria #2, #3, #4, #5, #6, #7, (see Table 3 for a description of the criteria), as well as three provisions that satisfy Criterion #8 (see Appendix D for a description of Criterion #8 categories).

---

<sup>c</sup> These states are Alabama, Arizona, Colorado, Connecticut, Florida, Hawaii, Idaho, Kansas, Kentucky, Maine, Massachusetts, Michigan, Missouri, Nebraska, Nevada, New Hampshire, New York, North Carolina, Oklahoma, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, West Virginia, and Wisconsin..

# MAKING THE GRADE: HOW DO THE STATES RATE?



## Pharmacy Board Policies

---

The Oregon pharmacy board adopted a policy relating to pain management, which fulfilled the following criteria: Criteria #2, #3, #4, #5 (see Table 3) and two instances of Criterion #8 (see Appendix D for a description of Criterion #8 categories).

## Joint Board Policies

---

In addition, Oregon approved a joint policy statement relating to the use of controlled substances for the treatment of pain, which was developed collaboratively by several regulatory boards such as medicine, pharmacy, and nursing. Such policies, which represent a consensus of the boards that govern such healthcare practice as medicine, pharmacy, and nursing, are a unique and credible way to emphasize the importance of multidisciplinary treatment of pain. In Oregon, the following positive provisions were added: Criteria #4 and #5 (see Table 3) and three instances of Criterion #8 (see Appendix D for a description of Criterion #8 categories).

## REPEAL OF RESTRICTIVE OR AMBIGUOUS LAWS

Positive policy change also occurred when states repealed negative provisions from statutes or regulations.

### Definitions of Intractable Pain

---

Three states (Arizona, California, and Texas) repealed the term “intractable pain” from policy. The definitions of “intractable pain” used in California and Texas, because they occurred in law, implied that the medical use of opioids is outside legitimate professional practice (Criterion #10) and suggested that physicians would not qualify for the immunity provided by the law if they prescribe opioids as a treatment of first choice for patients, even if the patient is suffering from severe pain (Criterion #16: Category B). Arizona’s definition of “intractable pain,” which was in a medical board policy statement, implied that the medical use of opioids is outside legitimate professional practice (Criterion #10) and that opioids are a treatment of last resort (Criterion #16: Category B). Fifteen states continue to define “intractable pain” in a way that can convey the ambiguous practice messages described above.<sup>f</sup>

### Mandated Consultation Provisions

---

Arizona and California also repealed provisions mandating that physicians always consult with pain specialists when using controlled substances to treat patients with pain if they want immunity from disciplinary sanction (Criterion #12: Category B). Although there is no question that physicians should seek consultation when needed, such a requirement is not necessary for every case, especially if the practitioner is knowledgeable about pain management. Such a requirement also does not allow for patients who need immediate treatment. Eight states currently mandate consultation under certain circumstances when using opioids to treat patients with pain.<sup>g</sup>

### Standard of “Excessive” Prescribing

---

California and Kansas repealed from statute the standard that links unprofessional conduct to “excessive” prescribing (Criterion #16: Category A); “excessive” was undefined and created uncertainty for practitioners about the specific standard that determines the legitimacy of a particular prescribing practice and who sets that standard. Currently, 10 states define unprofessional conduct to include acts of excessive prescribing, including California

---

<sup>f</sup> These states are Arkansas, Colorado, Florida, Louisiana, Minnesota, Mississippi, Missouri, Nevada, New Jersey, Ohio, Oregon, Tennessee, Texas, Washington and West Virginia.

<sup>g</sup> These states are Colorado, District of Columbia, Mississippi, Nevada, New York, Ohio, Oklahoma, and Rhode Island.

<sup>h</sup> These states are Arkansas, California, Florida, Kentucky, Nevada, New Mexico, Oklahoma, South Carolina, Texas, and West Virginia

# MAKING THE GRADE: HOW DO THE STATES RATE?



which retains similar language in the Pharmacy Practice Act.<sup>h</sup>

## **Restricting Treatment to Patients with an Addictive Disease**

---

California repealed from its Controlled Substances Act, its Medical Practice Act, and its Intractable Pain Treatment Act, a prohibition against treating pain in patients with an addictive disease (Criterion #12: Category A). Currently, nine states prohibit, either completely or with certain exceptions, the prescribing of controlled substances to patients with a history of drug abuse or current addictive disease.<sup>i</sup>

## **Some Negative Policy Changes**

Policy change, but no grade changes, occurred because a few states added restrictive or ambiguous policy language between 2006 and 2007. Two states added the following negative provisions:

- Restricts the period for which a prescription is valid to 3 days (Hawaii statute),
- Conflicts with the understanding that a patient's prior history or current status of drug abuse does not necessarily contraindicate appropriate pain management (Mississippi medical board regulations).

---

<sup>i</sup> These states are Arkansas, Missouri, Nebraska, New York, North Dakota, Oklahoma, Tennessee, Texas, and Wyoming.



## CURRENT STATUS OF BALANCE IN STATE PAIN POLICY

Kansas and Wisconsin now join Michigan and Virginia as having the most balanced pain policies in the country. In the last seven years, these four states took advantage of the Federation's *Model Guidelines* and [Model Policy](#), and repealed all excessively restrictive and ambiguous policy. This achievement does not mean the work is finished, because policy needs to be implemented (see next section). There is no ceiling on policy quality, so states with high grades should continue to explore how additional policy can help to improve access to pain management while avoiding the adoption of restrictive requirements or limitations.

Since 2006, legislatures and healthcare regulatory agencies in 8 states modified their policies sufficiently to improve their grade for Balance. Only one of these states (Wisconsin) improved its pain policies over all three assessment periods: Between 2000 and 2003, then between 2003 and 2006, and from 2006 to 2007; this change demonstrates continuing efforts to enhance pain policies that can affect professional practice and patient care. Two of these states (Arizona and California) only evidenced a grade change in the last year, while the other five states had more than one grade improvement over the three assessment periods. There have been no states since 2000 where changes in policy resulted in a reduced grade. Overall, the evidence in this report paints a positive picture of progress towards Balance. Looking ahead, several states have special opportunities to achieve the highest grade for balanced policies, while other states face special challenges.

### Implications for Future Policy Change Actions

#### Special opportunities

---

Some states are in a unique position of being able to achieve significant policy change either by adopting positive policy or repealing restrictions. Alabama, Alaska, Maine, and North Dakota currently have no restrictive or ambiguous language in state pain policies. These states could achieve an A simply by adopting additional positive policies. Six other states (Arizona, Massachusetts, Nebraska, New Mexico, Oregon, and Vermont) would have received an A in 2007 had one or two restrictive or ambiguous provisions been repealed.

#### Special challenges

---

In 2007, over 85% of the states achieved a grade above a C; this has been a substantial improvement since 2003, when two-thirds of states had a grade exceeding the average. Such progress is significant but, for states to achieve more balanced and consistent pain policy, they face the challenge of removing many long-outdated negative provisions from state statutes, some of which have been present for 30 years or more. Negative provisions are not a necessary part of the laws needed for drug control or the regulation of professional practice. To be sure, states may enact laws or other governmental policies that are stricter than federal law, and should be free to experiment and differ in their approaches to public policy. However, it is necessary to ensure that all such policies are balanced and that patient care decisions requiring medical expertise are not unduly restricted by governmental regulation aimed instead at preventing drug abuse.

For example, in the last seven years there was only a 19% reduction in negative provisions from the nearly 200 that were present in 2000, compared to almost a 70% increase in positive provisions during the same period; this raises a question as to whether repeal of negative provisions from law is receiving less attention compared to efforts with professional licensing boards to adopt positive policy. Appendix E shows the number of states with statutes, regulations, or guidelines or policy statements that contain language meeting criteria for both positive and negative provisions. The presence of any of these provisions in a particular state can be determined by consulting the [Evaluation Guide 2007](#).



A particular challenge may be in those states that have a considerable number of positive provisions but also have many negative provisions.<sup>j</sup> In the last four years, New York and Texas repealed restrictive legislative or regulatory language, but such changes have not improved their grade because of the large number of negative provisions remaining. For these states, there must be a continued focus on reducing the number of restrictive or ambiguous provisions for any positive grade change to occur.

In addition, there are a few states (Alaska, Delaware, Illinois, and Indiana) in which neither the medical nor pharmacy boards have issued policies addressing the use of controlled substances for treating pain. Of these states, Delaware and Illinois have had no grade improvements in the last seven years. Georgia is another state that has undergone no grade change since 2000, and which has the oldest existing medical board guideline that was adopted in 1991 and contains three restrictive provisions.

Finally, 43% of states will need to repeal restrictive provisions *and* adopt additional positive language to achieve a grade of A.

Most states now face the challenge not only of adopting positive policies, but of removing restrictive language from legislation or regulations. Even for states that have achieved an A, there remains the potential for additional policy activity (however well-intentioned) to introduce potentially restrictive requirements or limitations. Continued efforts to enhance pain management through state policy must avoid unintended restrictions or ambiguities in order to maintain grade improvements.

Overall, the momentum for positive change in state pain policy continues into 2007, apparently in response to increasing national recognition that improving or removing provisions that can influence professional practice and patient care is an important step in improving pain management for patients with cancer, HIV/AIDS, and other diseases. The use of policy evaluation resources and model policies by state groups to guide positive policy change efforts is apparent.

This trend has occurred during a period of increase in the abuse and diversion of opioid pain medications.<sup>95-97</sup> It is important to understand that the policy improvement represented in this report does not undermine the basic prohibitions against drug trafficking and diversion found in controlled substances or professional disciplinary policies; states that improve their grades do not weaken their ability to prevent drug abuse and diversion or deal with unprofessional conduct. In the future, there must be continued efforts by governments and healthcare professionals to address drug abuse while not interfering with legitimate medical practices and patient access to appropriate pain care. A public health approach to preventing prescription drug abuse is needed that is compatible with the Central Principle of Balance.<sup>98</sup> A more balanced national policy can be achieved and maintained if policymakers and advocates work together, use the Central Principle as a guide, and take advantage of the policy resources that are available. The PPSG contribution to this process is policy research, model development, and technical assistance to government agencies and groups working to improve Balance in pain policy.



<sup>j</sup> These states are New York, Tennessee, and Texas.



# RECOMMENDATIONS FOR IMPROVING STATE GRADES

## 1. Establish a policy evaluation mechanism

The extent to which a state's policies are balanced or unbalanced can either contribute to or detract from a positive professional practice and drug regulatory environment for pain management. Recognizing that the improvement of state pain policies ultimately requires government concurrence, a number of states have successfully developed ad hoc policy evaluation mechanisms that are associated with state government; these include task forces, commissions, advisory councils and summit meetings.<sup>99-102</sup> The terms of reference for such a body should include evaluation of the state's pain policies, the membership should include governmental and non-governmental stakeholders, and dedicated staffing should be available. The guidance available from authorities can help to make the case for establishing a task force to examine pain policy; these sources can be found in the section of this report, entitled "The Imperative to Evaluate Policy," and in the [Evaluation Guide 2007](#).

Once established, a state task force can take advantage of several resources to review state policy, including: (a) internet access to the full text of its own and every other state's pain-specific policies ([www.painpolicy.wisc.edu/matrix.htm](http://www.painpolicy.wisc.edu/matrix.htm)), (b) a State Profile that identifies each specific provision found during the PPSG 2007 evaluation, arranged according to the policy in which it was found and the criterion it satisfied (contained in the [Evaluation Guide 2007](#)), and (c) the *Progress Report Card 2007*, which shows the distribution and details about the grades for each state for 2000, 2003, 2006, and 2007.

The task force might be interested in learning, for example, how its grade compares to other states, in particular contiguous states. The task force might also be interested in which positive or negative criteria are fulfilled by the state's current policy (from the [Evaluation Guide 2007](#) State Profiles section) and how this compares with the policies from other states. Appendix E shows the total number of states with pain policies that fulfill each evaluation criterion. Such comparisons could answer such questions as:

- Does my state policy specifically encourage pain management (as it does in 38 states), or not?
- Does my state policy directly address practitioners' fears of being investigated (as it does in 39 states), or not?
- Does my state policy define addiction so that it could be confused with physical dependence that may develop when using opioids to treat pain (as it does in 16 states), or not.
- Does my state policy contain provisions that create unclear standards or requirements for practitioners when treating a patient with pain (as it does in 21 states), or not?

After a state's pain policies have been studied, corrective proposals can be developed. The main resource to assist with this process is the [Evaluation Guide 2007](#), which contains a section entitled "Example Language to Improve Pain-Related Policy," and is available on the internet at [www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu). This section includes recommended language from the Federation's [Model Policy](#) and other models, as well as example language from other states.



## 2. Make a commitment to implementing policy

---

Policy change without implementation has little value. Many licensed practitioners are not fully aware of the policies that govern controlled substances prescribing and pain management.<sup>87,103-104</sup> Professional licensing boards should disseminate widely and frequently the policies that affect practitioners and pain management. Once a state's policy has been improved, it should also be communicated to those who implement the policy and are affected by it, including practitioners and the public, but also administrators, investigators and attorneys. Balanced policy must be understood and respected as such.

The goal is to promote understanding that the state's policy is to encourage pain management, and that healthcare professionals who responsibly provide controlled pain medications should have nothing to fear from regulatory or law enforcement agencies in the state. For example, the medical licensure boards in North Carolina and Minnesota have excelled in their efforts to communicate pain management policy to licensed physicians.<sup>105-107</sup> The Maryland Board of Physician Quality Assurance has produced a videotape titled "A Sense of Balance: Treating Chronic Pain,"<sup>108</sup> which is required viewing for new licensees. Some states, such as Michigan, Oregon, Texas, and Wyoming have adopted laws that require healthcare regulatory agencies to periodically educate their licensees about pain management issues. Several state medical licensing boards, including those in California, Minnesota, New York, Ohio, and Rhode Island, have sections on their websites that provide information to licensees about the use of controlled substances for pain management.

## Appendix A: Authoritative Sources for the Central Principle of Balance

### INTERNATIONAL AUTHORITIES

#### United Nations Single Convention on Narcotic Drugs of 1961

---

*“...the medical use of narcotic drugs continues to be indispensable for the relief of pain and suffering...adequate provision must be made [by governments] to ensure the availability of narcotic drugs for such purposes” (UN, 1977, p. 13).*

*“The Parties [national governments] shall take such legislative and administrative measures as may be necessary...to limit exclusively to medical and scientific purposes the production, manufacture...distribution... and possession of drugs” (UN, 1977, pp. 18-19).*

#### World Health Organization

---

*“Decisions concerning the type of drug to be used, the amount of the prescription and the duration of therapy are best made by medical professionals on the basis of the individual needs of each patient, and not by regulation” (WHO, 1996, p. 58).*

*“...those [drugs] that satisfy the health care needs of the majority of the population; they should therefore be available at all times in adequate amounts and in the appropriate dosage forms...” (WHO Expert Committee on Essential Drugs, 1998, p. 2).*

*“These [Evaluation] Guidelines can be used by governments to determine whether their national drug control policies have established the legal and administrative framework to ensure the medical availability of opioid analgesics, according to international treaties and the recommendations of the INCB and the WHO... [and] to encourage governments to achieve better pain management by identifying and overcoming regulatory barriers to opioid availability” (WHO, 2000, pp. 1-2).*

*“...access to pain relief and palliative care services is often limited, even in high-resource settings, because of...excessive regulation of opioids...[and] urges Member States...to ensure the medical availability of opioid analgesics according to international treaties and recommendations of WHO and the International Narcotics Control Board” (WHO, 2004, pp. 3-6).*

*“During the discussions, factors limiting the availability of drugs for medical use were identified, including barriers inadvertently created by the application of laws and regulations. There are countries where stricter measures are applied than are required by the Conventions. This is permissible, as the requirements of the Conventions are minimum requirements. However, the aims of the Conventions are to ensure availability for medical use as well as the prevention of abuse. It should be noted therefore that the Conventions do not require the parties to implement specific licensing for prescribing and dispensing controlled substances for medical use, nor require permits for receiving these substances therapeutically. Applying stricter measures than those required by the Conventions may hamper rational use of medicines. The appropriate national authorities should carefully consider whether any such measure currently in force could be modified to permit access for patients in need...The Committee requested the WHO Secretariat to suggest including on the proposed agenda of the next Committee meeting, a discussion of the impact of scheduling on the balance between medical availability of controlled substances and the prevention of their abuse.” (WHO, 2006, pp. 20-21).*

#### United Nations Economic and Social Council

---

*“Recognizes the importance of improving the treatment of pain, including by the use of opioid analgesics, as advocated by the World Health Organization, especially in developing countries, and calls upon Member States to remove barriers to the medical use of such analgesics, taking fully into account the need to prevent their diversion for illicit use” (UN, 2005, p. 2).*

## World Health Assembly

---

“...to ensure the medical availability of opioid analgesics according to international treaties and recommendations of WHO and the International Narcotics Control Board and subject to an efficient monitoring and control system” (WHA, 2005, p. 3).

### References

- (1) United Nations. *Single Convention on Narcotic Drugs, 1961, As Amended by the 1972 Protocol Amending the Single Convention on Narcotic Drugs, 1961*. New York, NY: United Nations; 1977. (Available at [http://www.incb.org/e/ind\\_conv.htm](http://www.incb.org/e/ind_conv.htm)).
- (2) World Health Organization. *The Use of Essential Drugs: Eighth Report of the WHO Expert Committee (Technical Report Series 882)*. Geneva, Switzerland: World Health Organization; 1998.
- (3) World Health Organization. *Cancer Pain Relief: With a Guide to Opioid Availability*. Second ed. Geneva, Switzerland: World Health Organization; 1996. (Available at <http://whqlibdoc.who.int/publications/9241544821.pdf>).
- (4) World Health Organization. *Achieving Balance in National Opioids Control Policy: Guidelines for Assessment*. Geneva, Switzerland: World Health Organization; 2000. (Available at <http://www.painpolicy.wisc.edu/publicat/00whoabi/00whoabi.htm>).
- (5) World Health Organization Executive Board. *Cancer control: Report by the Secretariat*. 114th Session. EB114/3. Geneva, Switzerland: World Health Organization, 2004.
- (6) World Health Organization. *WHO Expert Committee on Drug Dependence (Thirty-fourth Report)*. Geneva, Switzerland: World Health Organization, 2006.
- (7) United Nations Economic and Social Council. *Treatment of Pain Using Opioid Analgesics; Resolution 2005-25*. Report on the forty-eighth session of the Commission on Narcotic Drugs E/2005/28; 19 March 2004 and 7-11 March 2005; issued 22 July 2005. (Available at <http://www.un.org/docs/ecosoc/documents/2005/resolutions/Resolution%202005-25.pdf>).
- (8) World Health Assembly. *Cancer Prevention and Control*. WHA 58.22. Geneva, Switzerland: World Health Organization; 2005. (Available at [http://www.who.int/gb/ebwha/pdf\\_files/WHA58-REC1/english/A58\\_2005\\_REC1-en.pdf](http://www.who.int/gb/ebwha/pdf_files/WHA58-REC1/english/A58_2005_REC1-en.pdf)).

## NATIONAL AUTHORITIES

### Controlled Substances Act

---

“Many of the drugs included within this subchapter have a useful and legitimate medical purpose and are necessary to maintain the health and general welfare of the American people” (Title 21 Controlled Substances Act §801(1)).

### Drug Enforcement Administration

---

“This section is not intended to impose any limitations on a physician or authorized hospital staff to...administer or dispense narcotic drugs to persons with intractable pain in which no relief or cure is possible or none has been found after reasonable efforts” (Title 21 Code of Federal Regulations §1306.07(c)).

“The CSA requirement for a determination of legitimate medical need is based on the undisputed proposition that patients and pharmacies should be able to obtain sufficient quantities...of any Schedule II drug, to fill prescriptions. A therapeutic drug should be available to patients when they need it...” (53 Federal Register 50593, 1988).

“Preventing drug abuse is an important societal goal, but there is consensus, by law enforcement agencies, health care practitioners, and patient advocates alike, that it should not hinder patients’ ability to receive the care they need and deserve...Undertreatment of pain is a serious problem in the United States, including pain among patients with chronic conditions and those who are critically ill or near death. Effective pain management is an integral and important aspect of quality medical care, and pain should be treated aggressively...For many patients, opioid analgesics – when used as recommended by established pain management guidelines – are the most effective way to treat their pain, and often the

only treatment option that provides significant relief...Drug abuse is a serious problem. Those who legally manufacture, distribute, prescribe and dispense controlled substances must be mindful of and have respect for their inherent abuse potential. Focusing only on the abuse potential of a drug, however, could erroneously lead to the conclusion that these medications should be avoided when medically indicated – generating a sense of fear rather than respect for their legitimate properties” (Drug Enforcement Administration, Last Acts et al. 2001).

## Federation of State Medical Boards of the U.S.

---

“...principles of quality medical practice dictate that the people...have access to appropriate and effective pain relief... physicians [should] view pain management as a part of quality medical practice for all patients with pain...All physicians should become knowledgeable about assessing patients’ pain and effective methods of pain treatment, as well as statutory requirements for prescribing controlled substances...controlled substances, including opioid analgesics, may be essential in the treatment of acute pain due to trauma or surgery and chronic pain, whether due to cancer or non-cancer origins” (FSMB, 2004, p. 5).

“Physicians should not fear disciplinary action from the Board for ordering, prescribing, dispensing or administering controlled substances, including opioid analgesics, for a legitimate medical purpose and in the course of professional practice” (FSMB, 2004, p. 6).

## National Association of Attorneys General

---

“...there is a consensus among law enforcement agencies, health care practitioners, and patient advocates that the prevention of drug abuse is an important societal goal that can and should be pursued without hindering proper patient care; and...it is crucial that public health, law enforcement, and government officials continue to develop strategies and methods to prevent the abuse and diversion of prescription drugs, while safeguarding the right of those suffering from severe and chronic pain to continue to have access to appropriate medications” (NAAG, 2003, p. 1).

“The National Association of Attorneys General encourages states to ensure that any such programs or strategies implemented to reduce abuse of prescription pain medications are designed with attention to their potential impact on the legitimate use of prescription drugs” (NAAG, 2003, p. 2).

“...the Attorney General should actively promote the concept of balance that legitimate law enforcement goals should be pursued without adversely affecting the provision of quality end-of-life care” (NAAG, 2003, p. 20).

### References

- (1) Controlled Substances Act. Pub L No. 91-513, 84 Stat 1242, 1970.
- (2) Drug Enforcement Administration, Last Acts, Pain & Policy Studies Group, et al. *Promoting Pain Relief and Preventing Abuse of Pain Medications: A Critical Balancing Act*. Washington, DC: Last Acts; 2001. (Available at <http://www.painpolicy.wisc.edu/dea01.htm>).
- (3) Federation of State Medical Boards of the United States Inc. *Model Policy for the Use of Controlled Substances for the Treatment of Pain*. Dallas, TX: Federation of State Medical Boards of the United States Inc; 2004. (Available at <http://www.fsmb.org>).
- (4) National Association of Attorneys General. *Resolution Calling for a Balanced Approach to Promoting Pain Relief and Preventing Abuse of Pain Medications*. Adopted at the National Association of Attorneys General Spring Meeting; Washington, DC; March 17-20, 2003.
- (5) National Association of Attorneys General. *Improving End-of-Life Care: The Role of Attorneys General*. Washington, DC: National Association of Attorneys General, 2003.



## Appendix B: Method to Assign Grades

### (1) *Identification of provisions:*

The positive and negative provisions in state pain policies from 2000, 2003, and 2006 had already been identified in the *Evaluation Guide 2006*. The criteria were then used to identify positive and negative provisions in policies current through March 2007.

### (2) *Grading:*

The grading method was established using the total number of positive and negative provisions identified with the policy evaluation methodology explained in the *Evaluation Guide 2007*. Each provision was given equal weight.

In 2000, the total number of positive provisions for all states ranged from 0 to 33; the average number of positive provisions per state was 10 and the standard deviation (the extent that the values deviate from the average) was 6. Despite the large range of total positive provisions, 44 states had 14 or fewer provisions, which represented extreme skewness. To adjust for the fact that few states had a large number of positive provisions in 2000, we defined the grade of C by a range including, and extending a standard deviation below, the average – a C was earned by states having a total of 5 to 10 positive provisions. Negative provisions ranged from 0 to 16, with an average of 4 and a standard deviation of 3. The averages and standard deviations were used to calculate the grades. The same grading system was then applied to the total number of positive and negative provisions contained in all states' policies present in 2003, 2006, and 2007 (relevant policies present in 2007 are contained in the *Evaluation Guide 2007*); so, states' grades in 2000, 2003, 2006, and 2007 are based on the same evaluation and grading methodology.

| Grading System for Positive and Negative Provisions |       |   |
|---|-------|---|
| Distribution for Positive Provisions                | Grade | Distribution for Negative Provisions            |
| 1 or more standard deviations above the average     | A     | 0 provisions                                    |
| Within 1 standard deviation above the average       | B     | Within 1 standard deviation below the average   |
| Around the average                                  | C     | Around the average                              |
| 1 or more standard deviations below the average     | D     | Within 1 standard deviation above the average   |
| 0 provisions  | F     | 1 or more standard deviations above the average |

Each state's separate grades for positive and negative provisions can be found in Appendix C and are averaged to arrive at a state's final grade; unless otherwise specified, the term "grade" refers to the final average grade. Mid-point grades were calculated (B+, C+, D+), rather than rounding up or down, in an effort to reflect more precisely each state's unique combination of positive and negative provisions. For example, if a state received an A for positive provisions and a B for negative provisions, the final grade would be a B+.

# APPENDICES

## Appendix C: State Grades for Positive & Negative Provisions—2000, 2003, 2006, & 2007

| STATES | (+) 2000 | (+) 2003 | (+) 2006 | (+) 2007 | (-) 2000 | (-) 2003 | (-) 2006 | (-) 2007 |
|--------|----------|----------|----------|----------|----------|----------|----------|----------|
| AL     | C        | C        | B        | B        | A        | A        | A        | A        |
| AK     | D        | D        | D        | D        | B        | A        | A        | A        |
| AZ     | B        | A        | A        | A        | B        | C        | C        | B        |
| AR     | C        | C        | A        | A        | B        | B        | C        | C        |
| CA     | A        | A        | A        | A        | F        | F        | F        | C        |
| CO     | B        | B        | B        | A        | D        | D        | C        | C        |
| CT     | D        | D        | C        | B        | B        | B        | B        | B        |
| DE     | C        | C        | C        | C        | B        | B        | B        | B        |
| DC     | F        | F        | C        | C        | B        | B        | B        | B        |
| FL     | A        | A        | A        | A        | C        | C        | C        | C        |
| GA     | D        | D        | D        | D        | C        | C        | C        | C        |
| HI     | D        | D        | A        | A        | B        | B        | C        | C        |
| ID     | C        | C        | B        | B        | C        | B        | B        | B        |
| IL     | D        | D        | D        | D        | B        | B        | B        | B        |
| IN     | C        | C        | C        | C        | C        | B        | B        | B        |
| IA     | C        | B        | B        | B        | B        | B        | B        | B        |
| KS     | C        | A        | A        | A        | B        | B        | B        | A        |
| KY     | D        | B        | B        | B        | C        | C        | B        | B        |
| LA     | C        | C        | C        | C        | C        | C        | C        | C        |
| ME     | C        | C        | C        | C        | A        | A        | A        | A        |
| MD     | C        | B        | B        | B        | B        | B        | B        | B        |
| MA     | C        | B        | B        | A        | C        | B        | B        | B        |
| MI     | A        | A        | A        | A        | C        | A        | A        | A        |
| MN     | C        | C        | B        | B        | B        | B        | B        | B        |
| MS     | C        | C        | B        | B        | C        | C        | C        | C        |
| MO     | C        | A        | A        | A        | D        | D        | D        | D        |
| MT     | C        | B        | B        | B        | B        | C        | C        | C        |
| NE     | A        | A        | A        | A        | B        | B        | B        | B        |
| NV     | C        | B        | B        | B        | D        | D        | D        | D        |
| NH     | D        | C        | C        | B        | B        | B        | B        | B        |
| NJ     | C        | B        | A        | A        | D        | D        | D        | D        |
| NM     | B        | A        | A        | A        | B        | B        | B        | B        |
| NY     | C        | A        | A        | A        | F        | F        | F        | F        |
| NC     | B        | B        | A        | A        | B        | B        | C        | C        |
| ND     | C        | C        | C        | C        | C        | C        | A        | A        |
| OH     | A        | A        | A        | A        | C        | C        | C        | C        |
| OK     | A        | A        | A        | A        | D        | D        | D        | D        |
| OR     | B        | B        | A        | A        | C        | C        | B        | B        |
| PA     | C        | C        | C        | C        | B        | B        | B        | B        |
| RI     | B        | B        | A        | A        | F        | F        | C        | C        |
| SC     | B        | B        | B        | B        | C        | C        | C        | C        |
| SD     | B        | B        | B        | B        | B        | B        | B        | B        |
| TN     | C        | A        | A        | A        | F        | F        | F        | F        |
| TX     | A        | A        | A        | A        | F        | F        | F        | F        |
| UT     | B        | B        | B        | B        | C        | C        | B        | B        |
| VT     | C        | B        | A        | A        | C        | C        | B        | B        |
| VA     | B        | B        | A        | A        | B        | B        | A        | A        |
| WA     | B        | B        | B        | B        | B        | B        | B        | B        |
| WV     | B        | A        | A        | A        | C        | C        | C        | C        |
| WI     | D        | D        | C        | A        | B        | A        | A        | A        |
| WY     | D        | D        | C        | C        | B        | B        | B        | B        |

## Appendix D: How Language from Healthcare Regulatory Policy has Fulfilled the Categories of Criterion #8

|                         |  |
|-------------------------|--|
| Model Policy            | <p><b>Category A:</b> Recognizes inadequate treatment of pain as subject to disciplinary action just as other substandard practices might be</p> <p><b>Category A:</b> Recognizes that the goals of pain treatment should include improvements in patient functioning and quality of life</p> <p><b>Category A:</b> Acknowledges need for treatment flexibility for physicians to respond to individual clinical circumstances, as long as their prescribing maintains the standards of good medical practice</p>  |
| Model Guidelines        | <p><b>Category A:</b> Recognizes that the goals of pain treatment should include improvements in patient functioning and quality of life</p> <p><b>Category A:</b> Acknowledges need for treatment flexibility for physicians to respond to individual clinical circumstances, as long as their prescribing maintains the standards of good medical practice</p>   |
| Pharmacy Board policies | <p><b>Category A:</b> Identifies pseudoaddiction as an important barrier to the appropriate use of opioid analgesics</p> <p><b>Category A:</b> Acknowledges need for treatment flexibility for physicians to respond to individual clinical circumstances, as long as their prescribing maintains the standards of good medical practice</p> <p><b>Category A:</b> Recognizes the need for a multidisciplinary approach to pain management</p> <p><b>Category C:</b> Represents the principle of Balance, which states that efforts to reduce the abuse and diversion of controlled substances should not interfere with legitimate medical use</p>  |
| Joint Board policies    | <p><b>Category A:</b> Identifies concerns of drug diversion as an important barrier to access to appropriate pain relief</p> <p><b>Category A:</b> Recognizes inadequate treatment of pain as subject to disciplinary action just as other substandard practices might be</p> <p><b>Category A:</b> Recognizes the need for a multidisciplinary approach to pain management</p> <p><b>Category A:</b> Recognizes that the goals of pain treatment should include improvements in patient functioning and quality of life</p> <p><b>Category A:</b> Acknowledges need for treatment flexibility for physicians to respond to individual clinical circumstances, as long as their prescribing maintains the standards of good medical practice</p> <p><b>Category A:</b> Recognizes a practitioner's responsibility to provide patient's information about pain management and palliative care when considering treatment options</p> <p><b>Category B:</b> Recognizes that a patient's prior history of drug abuse does not necessarily contraindicate appropriate pain management</p> <p><b>Category C:</b> Represents the principle of Balance, which states that efforts to reduce the abuse and diversion of controlled substances should not interfere with legitimate medical use</p> |

## Appendix E: Number of States in 2007 with Policy Language Having Potential to Enhance or Impede Pain Management

| Positive provisions   | Number of states |
|---|------------------|
| 1. Controlled substances are recognized as necessary for the public health                            | 4                |
| 2. Pain management is recognized as part of general medical practice                                  | 45               |
| 3. Medical use of opioids is recognized as legitimate professional practice                           | 51               |
| 4. Pain management is encouraged  | 38               |
| 5. Practitioners' concerns about regulatory scrutiny are addressed                                    | 39               |
| 6. Prescription amount alone is recognized as insufficient to determine the legitimacy of prescribing | 31               |
| 7. Physical dependence or analgesic tolerance are not confused with "addiction"                       | 36               |
| 8. Other provisions that may enhance pain management  |                  |
| Category A: Issues related to healthcare professionals  | 47               |
| Category B: Issues related to patients  | 22               |
| Category C: Regulatory or policy issues   | 48               |
| Negative provisions   | Number of states |
| 9. Opioids are considered a treatment of last resort  | 7                |
| 10. Medical use of opioids is implied to be outside legitimate professional practice                  | 11               |
| 11. Physical dependence or analgesic tolerance are confused with "addiction"                          | 16               |
| 12. Medical decisions are restricted  |                  |
| Category A: Restrictions based on patient characteristics   | 9                |
| Category B: Mandated consultation   | 8                |
| Category C: Restrictions regarding quantity prescribed or dispensed                                   | 8                |
| Category D: Undue prescription limitations  | 6                |
| 13. Length of prescription validity is restricted   | 5                |
| 14. Practitioners are subject to additional prescription requirements                                 | 6                |
| 15. Other provisions that may impede pain management  | 4                |
| 16. Provisions that are ambiguous   |                  |
| Category A: Arbitrary standards for legitimate prescribing  | 15               |
| Category B: Unclear intent leading to possible misinterpretation                                      | 21               |
| Category C: Conflicting (or inconsistent) policies or provisions                                      | 8                |

# REFERENCES

- (1) Simon LS, Lipman AG, Caudill-Slosberg M, et al. *Guideline for the management of pain in osteoarthritis, rheumatoid arthritis, and juvenile chronic arthritis. Clinical practice guideline number 2*. Glenview, IL: American Pain Society; 2002. <http://www.ampainsoc.org/pub/arthritis.htm>
- (2) Institute of Medicine Committee on Care at the End of Life. *Approaching death: improving care at the end of life*. Washington, DC: National Academy Press; 1997. <http://books.nap.edu/catalog/5801.html>
- (3) Kutner JS, Kassner CT, Nowels DE. Symptom burden at the end of life: Hospice providers' perceptions. *Journal of Pain & Symptom Management*. 2001;21:473-480.
- (4) National Institutes of Health Consensus Development Program. *Symptom management in cancer: Pain, depression and fatigue*. Statement prepared following a National Institutes of Health State-of-the-Science Conference on Symptom Management in Cancer; Bethesda, MD; July 15-17, 2002. [http://consensus.nih.gov/ta/022/022\\_intro.htm](http://consensus.nih.gov/ta/022/022_intro.htm)
- (5) Research America. *Chronic pain pervasive in all age groups, new study shows*. Alexandria, VA. September 4, 2003.
- (6) SUPPORT Study Principal Investigators. A controlled trial to improve care for seriously ill hospitalized patients: the Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments (SUPPORT). *JAMA*. 1995;274:1591-1598.
- (7) Tolle SW, Tilden VP, Rosenfeld AG, Hickman SE. Family reports of barriers to optimal care of the dying. *Nursing Research*. 2000;49:310-317.
- (8) Weiss SC, Emanuel LL, Fairclough DL, Emanuel EJ. Understanding the experience of pain in terminally ill patients. *Lancet*. 2001;357:1311-1315.
- (9) Gaughan DM, Hughes MD, Seage GR et al. The prevalence of pain in pediatric human immunodeficiency virus/acquired immunodeficiency syndrome as reported by participants in the Pediatric Late Outcomes Study (PACTG 219). *Pediatrics*. 2002;109:1144-1152.
- (10) Institute of Medicine Committee on Palliative and End-of-Life Care for Children and Their Families. *When children die: Improving palliative care and end-of-life care for children and their families*. Washington, DC: National Academy Press; 2002. <http://www.iom.edu/CMS/3740/4483.aspx>
- (11) Kane JR, Barber RG, Jordan M, Tichenor KT, Camp K. Alleviating the suffering of children with serious or life-threatening illness. *Journal of Terminal Oncology*. 2003;2:115-122.
- (12) Rich BA. An ethical analysis of the barriers to effective pain management. *Camb Q Healthcare Ethics*. 2000;9:54-70.
- (13) World Health Organization. *Cancer pain relief and palliative care in children*. Geneva, Switzerland: World Health Organization; 1998. <http://www.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=15&codcch=459>
- (14) Wolfe J, Grier HE, Klar N et al. Symptoms and suffering at the end of life in children with cancer. *New England Journal of Medicine*. 2000;342:326-333.
- (15) Bernabei R, Gambassi G, Lapane K et al. Management of pain in elderly patients with cancer. *JAMA*. 1998;279:1877-1882.
- (16) Teno JM, Weitzen S, Wetle T, Mor V. Persistent pain in nursing home residents (Research Letter). *JAMA*. 2001;285:2081.
- (17) American Geriatrics Society Panel on Persistent Pain in Older Persons. The management of persistent pain in older persons. *Journal of the American Geriatric Society*. 2002;50:S205-S224.
- (18) Sachs GA, Shega JW, Cox-Hayley D. Barriers to excellent end-of-life care for patients with dementia. *Journal of General Internal Medicine*. 2004;19:1057-1063.
- (19) Green CR, Baker TA, Smith EM, Sato Y. The effect of race in older adults presenting for chronic pain management: A comparative study of black and white Americans. *The Journal of Pain*. 2003;4:82-90.
- (20) Green CR, Ndao-Brumblay SK, West B, Washington T. Differences in prescription opioid analgesic availability: Comparing minority and white pharmacies across Michigan. *The Journal of Pain*. 2005;6:689-699.
- (21) Morrison RS, Wallenstein S, Natale DK, Senzel RS, Huang L. "We don't carry that"--Failure of pharmacies in predominantly nonwhite neighborhoods to stock opioid analgesics. *New England Journal of Medicine*. 2000;342:1023-1026.
- (22) Payne R, Medina E, Hampton JW. Quality of life concerns in patients with breast cancer: Evidence for disparity of outcomes and experiences in pain management and palliative care among African-American women. *Cancer*. 2003;97:311-317.
- (23) Portenoy RK, Ugarte C, Fuller I, Haas G. Population-based survey of pain in the United States: Differences among White, African American, and Hispanic subjects. *The Journal of Pain*. 2004;5:317-328.



# REFERENCES

- (24) Anderson KO, Mendoza TR, Valero V et al. Minority cancer patients and their providers: Pain management attitudes and practice. *Cancer*. 2000;88:1929-1938.
- (25) Cleeland CS, Gonin R, Baez L, Loehrer P, Pandya KJ. Pain and treatment of pain in minority patients with cancer. *Annals of Internal Medicine*. 1997;127:813-816.
- (26) Gourlay DL, Heit HA. Universal precautions in pain medicine: The treatment of chronic pain with or without the disease of addiction. *Medscape Neurology & Neurosurgery*. 2005;7:1-4.
- (27) Savage SR. Assessment for addiction in pain-treatment settings. *Clinical Journal of Pain*. 2002;18:S28-S38.
- (28) Scimeca MM, Savage SR, Portenoy R, Lowinson J. Treatment of pain in methadone-maintained patients. *Mt. Sinai Journal of Medicine*. 2000;67:412-422.
- (29) Sees KL. Pain management in a patient with an addiction history. *Journal of the American Osteopathic Association*. 1999;99:S11-S15.
- (30) Portenoy RK, Dole V, Joseph H et al. Pain management and chemical dependency: Evolving perspectives. *JAMA*. 1997;278:592-593.
- (31) Oberlander TF, Symons F, van Dongen K, Abu-Saad HH. Pain in individuals with developmental disabilities: Challenges for the future. In: Dostrovsky JO, Carr DB, Koltzenburg M, eds. *Proceedings of the 10th World Congress on Pain*. Seattle, WA: IASP Press; 2003:705-23.
- (32) Schwartz L, Engel JM, Jensen MP. Pain in persons with cerebral palsy. *Archives of Physical Medicine and Rehabilitation*. 1999;80:1243-1246.
- (33) American Pain Society. *Principles of analgesic use in the treatment of acute pain and cancer pain*. Fifth ed. Glenview, IL: American Pain Society; 2003. <http://www.ampainsoc.org/pub/principles.htm>
- (34) Burton AW, Fanciullo GJ, Beasley RD, Fisch MJ. Chronic pain in the cancer survivor: A new frontier. *Pain Medicine*. 2007;8:189-197.
- (35) Davis MP, Walsh D. Epidemiology of cancer pain and factors influencing poor pain control. *American Journal of Hospice & Palliative Medicine*. 2004;21:137-142.
- (36) Gordon DB, Dahl JL, Miaskowski C et al. American Pain Society recommendations for improving the quality of acute and cancer pain management. *Archives of Internal Medicine*. 2005;165:1574-1580.
- (37) Goudas LC, Bloch R, Gialeli-Goudas M, Lau J, Carr DB. The epidemiology of cancer pain. *Cancer Investigation*. 2005;23:182-190.
- (38) Miaskowski C, Cleary J, Burney R et al. *Guideline for the management of cancer pain in adults and children*. APS Clinical Practice Guidelines Series, No. 3. Glenview, IL: American Pain Society; 2005. <http://www.ampainsoc.org/pub/cancer.htm>
- (39) Rolnick SJ, Jackson J, Nelson WW et al. Pain management in the last six months of life among women who died of ovarian cancer. *Journal of Pain & Symptom Management*. 2007;33:24-31.
- (40) World Health Organization. *Cancer pain relief: with a guide to opioid availability*. Second ed. Geneva, Switzerland: World Health Organization; 1996. <http://whqlibdoc.who.int/publications/9241544821.pdf>
- (41) Breitbart W, Dibiase L. Current perspectives on pain in AIDS: Part 1. *Oncology*. 2002;16:818-835.
- (42) Breitbart W, Dibiase L. Current perspectives on pain in AIDS: Part 2. *Oncology*. 2002;16:964-982.
- (43) Foley KM, Wagner JL, Joranson DE, Gelband H. Pain control for people with cancer and AIDS. In: Jamison DT, Berman JG, Measham AR et al, eds. *Disease control priorities in developing countries*. 2nd ed. New York, NY: Oxford University Press; 2006:981-93.
- (44) Selwyn PA. Palliative care for patients with human immunodeficiency virus/acquired immune deficiency syndrome. *Journal of Palliative Medicine*. 2005;8:1248-1268.
- (45) Solano JP, Gomes B, Higginson IJ. A comparison of symptom prevalence in far advanced cancer, AIDS, heart disease, chronic obstructive pulmonary disease and renal disease. *Journal of Pain & Symptom Management*. 2006;31:58-69.
- (46) American Pain Society. *Guideline for the management of acute and chronic pain in sickle cell disease*. Clinical practice guideline number 1. Glenview, IL: American Pain Society; 1999. <http://www.ampainsoc.org/pub/sc.htm>
- (47) Elander J, Lusher J, Bevan D, Telfer P, Burton B. Understanding the causes of problematic pain management in sickle cell disease: Evidence that pseudoaddiction plays a more important role than genuine analgesic dependence. *Journal of Pain & Symptom Management*. 2004;27:156-169.
- (48) Marlowe KF, Chicella MF. Treatment of sickle cell pain. *Pharmacotherapy*. 2002;22:484-491.
- (49) Controlled Substances Act. Title 21 USC §801(1). 1970.
- (50) Eisenberg E, McNicol ED, Carr DB. Efficacy and safety of opioid agonists in the treatment of neuropathic pain of nonmalignant origin: Systematic review and meta-analysis of randomized controlled trials. *JAMA*. 2005;293:3043-3052.
- (51) Kalso, E., Edwards, J. E., Moore, A., and McQuay, H. Opioids in chronic non-cancer pain: Systematic review of efficacy and safety. *Pain*. 2004;112:372-380.
- (52) Quigley C. The role of opioids in cancer pain. *British Medical Journal*. 2005;331:825-829.
- (53) World Health Organization. *Achieving balance in national opioids control policy: Guidelines for assessment*. Geneva, Switzerland: World Health Organization; 2000. <http://www.painpolicy.wisc.edu/publicat/00whoabi/00whoabi.pdf>
- (54) World Health Organization. *Adherence to long-term therapies: Evidence for action*. Geneva, Switzerland: World Health Organization; 2003. <http://www.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=15&codcch=526>



# REFERENCES



- (55) Eriksen J, Sjogren P, Bruera E, Ekholm O, Rasmussen NK. Critical issues on opioids in chronic non-cancer pain: An epidemiological study. *Pain*. 2006;125:172-179.
- (56) Portenoy RK. Current pharmacotherapy of chronic pain. *Journal of Pain & Symptom Management*. 2000;19:S16-S20.
- (57) Foley KM. Opioids and chronic neuropathic pain. *New England Journal of Medicine*. 2003;348:1279-1281.
- (58) Dahl JL. Working with regulators to improve the standard of care in pain management: The U.S. experience. *Journal of Pain & Symptom Management*. 2002;24:136-146.
- (59) Joranson DE, Gilson AM. Legal and regulatory issues in the management of pain. In: Graham AW, Schultz TK, Mayo-Smith MF et al, eds. *Principles of addiction medicine*. Third ed. Chevy Chase, MD: American Society of Addiction Medicine, Inc.; 2003:1465-74.
- (60) Gilson AM, Joranson DE, Maurer MA, Ryan KM, Garthwaite JP. Progress to achieve balanced state policy relevant to pain management and palliative care: 2000-2003. *Journal of Pain & Palliative Care Pharmacotherapy*. 2005;19:7-20. <http://www.painpolicy.wisc.edu/publicat/05jppcp/05jppcp.pdf>
- (61) Gilson AM, Maurer MA, Joranson DE. State policy affecting pain management: Recent improvements and the positive impact of regulatory health policies. *Health Policy*. 2005;74:192-204. <http://www.painpolicy.wisc.edu/publicat/05hlthpol/05hlthpol.pdf>
- (62) Maurer MA, Gilson AM, Joranson DE. Federal and state policies at the interface of pain and addiction. In: Smith H, Passik S, eds. *Pain and chemical dependency*. New York: Oxford University Press; in press.
- (63) Federation of State Medical Boards of the United States Inc. *A guide to the essentials of a modern medical practice act*. 9th ed. Dallas, TX: Federation of State Medical Boards; 2000. [http://www.fsmb.org/pdf/GPROL\\_essentials\\_eleventh\\_edition.pdf](http://www.fsmb.org/pdf/GPROL_essentials_eleventh_edition.pdf)
- (64) Federation of State Medical Boards of the United States Inc. *Model policy for the use of controlled substances for the treatment of pain*. Dallas, TX: Federation of State Medical Boards of the United States Inc.; 2004. [http://www.fsmb.org/pdf/2004\\_gropol\\_Controlled\\_Substances.pdf](http://www.fsmb.org/pdf/2004_gropol_Controlled_Substances.pdf)
- (65) Gilson AM, Joranson DE. Controlled substances and pain management: Changes in knowledge and attitudes of state medical regulators. *Journal of Pain & Symptom Management*. 2001;21:227-237. <http://www.painpolicy.wisc.edu/publicat/01jpsm/jpsm01.pdf>
- (66) Joranson DE, Gilson AM. Controlled substances, medical practice, and the law. In: Schwartz HI, ed. *Psychiatric practice under fire: the influence of government, the media, and special interests on somatic therapies*. 1st ed. Washington DC: American Psychiatric Press, Inc.; 1994:173-94. <http://www.painpolicy.wisc.edu/publicat/94appcs.htm>
- (67) Joranson DE. Federal and state regulation of opioids. *Journal of Pain & Symptom Management*. 1990;5(Suppl.):S12-S23. <http://www.painpolicy.wisc.edu/publicat/90jpsmf.htm>
- (68) International Narcotics Control Board. *Report of the International Narcotics Control Board for 1989: Demand for and supply of opiates for medical and scientific needs*. Vienna, Austria: United Nations; 1989.
- (69) World Health Organization. *WHO expert committee on drug dependence: thirty-fourth report*. Geneva, Switzerland: World Health Organization; 2006. [http://www.who.int/medicines/areas/quality\\_safety/WHO\\_TRS\\_942.pdf](http://www.who.int/medicines/areas/quality_safety/WHO_TRS_942.pdf)
- (70) Institute of Medicine Committee on Opportunities in Drug Abuse Research. *Pathways of addiction: opportunities in drug abuse research*. Washington, DC: National Academy Press; 1996. <http://www.nap.edu/catalog/5297.html>
- (71) Institute of Medicine Committee on Cancer Control in Low- and Middle-Income Countries. *Cancer control opportunities in low- and middle-income countries*. Washington, DC: The National Academies Press; 2007. <http://www.iom.edu/CMS/3783/23083.aspx>
- (72) Cancer Pain Management Policy Review Group. *American Cancer Society position statement on regulatory barriers to quality cancer pain management*. National Government Relations Department, American Cancer Society; 2001.
- (73) Pain & Policy Studies Group. *Achieving balance in state pain policy: A progress report card*. Madison, WI: University of Wisconsin Comprehensive Cancer Center; 2003.
- (74) Pain & Policy Studies Group. *Achieving Balance in State Pain Policy: A Progress Report Card (Second edition)*. Madison, WI: University of Wisconsin Paul P. Carbone Comprehensive Cancer Center; 2006.
- (75) Joranson DE, Gilson AM, Ryan KM, Maurer MA, Nischik JA, Nelson JM. *Achieving balance in federal and state pain policy: A guide to evaluation*. Madison, WI: Pain & Policy Studies Group, University of Wisconsin Comprehensive Cancer Center; 2000.
- (76) Pain & Policy Studies Group. *Achieving balance in federal and state pain policy: A guide to evaluation (Second edition)*. Madison, WI: University of Wisconsin Comprehensive Cancer Center; 2003.
- (77) Pain & Policy Studies Group. *Achieving Balance in Federal and State Pain Policy: A Guide to Evaluation (Third edition)*. Madison, WI: University of Wisconsin Paul P. Carbone Comprehensive Cancer Center; 2006.
- (78) Pain & Policy Studies Group. *Achieving Balance in Federal and State Pain Policy: A Guide to Evaluation (Fourth edition)*. Madison, WI: University of Wisconsin Paul P. Carbone Comprehensive Cancer Center; 2007. [http://www.painpolicy.wisc.edu/Achieving\\_Balance/EG2007.pdf](http://www.painpolicy.wisc.edu/Achieving_Balance/EG2007.pdf)
- (79) Guglielmo WJ. Treating pain: Can doctors put their fears to rest? *Medical Economics*. 2000;4:46-60.
- (80) New York State Public Health Council. *Breaking down the barriers to effective pain management: recommendations to improve the assessment and treatment of pain in New York state*. Albany, NY: New York State Department of Health; 1998.

# REFERENCES

- (81) Gilson AM, Maurer MA, Joranson DE. State medical board members' beliefs about pain, addiction, and diversion and abuse: A changing regulatory environment. *Journal of Pain*. 2007; in press.
- (82) Snyder CA. An open letter to physicians who have patients with chronic nonmalignant pain. *Journal of Law, Medicine & Ethics*. 1994;22:204-205.
- (83) Ward SE, Berry PE, Misiewicz H. Concerns about analgesics among patients and family caregivers in a hospice setting. *Research in Nursing & Health*. 1996;19:205-211.
- (84) Ward SE, Goldberg N, Miller-McCauley V et al. Patient-related barriers to management of cancer pain. *Pain*. 1993;52:319-324.
- (85) Weissman DE, Joranson DE, Hopwood MB. Wisconsin physicians' knowledge and attitudes about opioid analgesic regulations. *Wisconsin Medical Journal*. 1991;67:1-675.
- (86) Furstenberg CT, Ahles TA, Whedon MB et al. Knowledge and attitudes of health-care providers toward cancer pain management: a comparison of physicians, nurses, and pharmacists in the State of New Hampshire. *Journal of Pain & Symptom Management*. 1998;15:335-349.
- (87) Joranson DE, Gilson AM. Pharmacists' knowledge of and attitudes toward opioid pain medications in relation to federal and state policies. *Journal of the American Pharmaceutical Association*. 2001;41:213-220. <http://www.painpolicy.wisc.edu/publicat/01japhak/01japhak.pdf>
- (88) American Academy of Pain Medicine, American Pain Society, American Society of Addiction Medicine. *Definitions related to the use of opioids for the treatment of pain*. Glenview, IL: AAPM, APS, ASAM; 2001. <http://www.ampainsoc.org/advocacy/opioids2.htm>
- (89) Federation of State Medical Boards of the United States Inc. *Model guidelines for the use of controlled substances for the treatment of pain*. Euless, TX: Federation of State Medical Boards of the United States Inc; 1998.
- (90) Gilson AM, Joranson DE. U.S. policies relevant to the prescribing of opioid analgesics for the treatment of pain in patients with addictive disease. *Clinical Journal of Pain*. 2002;18:S91-S98. [http://www.painpolicy.wisc.edu/publicat/02cjp/Tx\\_addicts.pdf](http://www.painpolicy.wisc.edu/publicat/02cjp/Tx_addicts.pdf)
- (91) Joranson DE, Gilson AM. Improving pain management through policy making and education for medical regulators. *Journal of Law, Medicine & Ethics*. 1996;24:344-347. <http://www.painpolicy.wisc.edu/publicat/96jlmei.pdf>
- (92) Gilson AM, Joranson DE, Maurer MA. Improving state medical board policies: Influence of a model. *Journal of Law, Medicine & Ethics*. 2003;31:119-129. [http://www.painpolicy.wisc.edu/publicat/03jlme/jlme\\_model.pdf](http://www.painpolicy.wisc.edu/publicat/03jlme/jlme_model.pdf)
- (93) Hoffmann DE, Tarzian AJ. Achieving the right balance in oversight of physician opioid prescribing for pain: The role of state medical boards. *Journal of Law, Medicine & Ethics*. 2003;31:21-40.
- (94) Joranson DE, Gilson AM, Dahl JL, Haddox JD. Pain management, controlled substances, and state medical board policy: A decade of change. *Journal of Pain & Symptom Management*. 2002;23:138-147. <http://www.painpolicy.wisc.edu/publicat/02jpsm1/jpsm02.pdf>
- (95) Compton WM, Volkow ND. Major increases in opioid abuse in the United States: Concerns and strategies. *Drug and Alcohol Dependence*. 2006;81:103-107.
- (96) Gilson AM, Ryan KM, Joranson DE, Dahl JL. A reassessment of trends in the medical use and abuse of opioid analgesics and implications for diversion control: 1997-2002. *Journal of Pain & Symptom Management*. 2004;28:176-188. <http://www.painpolicy.wisc.edu/publicat/04jpsm/04jpsm.pdf>
- (97) Zacny J, Bigelow G, Compton P, Foley K, Iguchi M, Sannerud C. College on Problems of Drug Dependence taskforce on prescription opioid non-medical use and abuse: Position statement. *Drug and Alcohol Dependence*. 2003;69:215-232.
- (98) Joranson DE, Gilson AM. Wanted: A public health approach to prescription opioid abuse and diversion (Editorial). *Pharmacoepidemiology and Drug Safety*. 2006;15:632-634. <http://www.painpolicy.wisc.edu/publicat/pharmaco/commentary.pdf>
- (99) Connecticut Cancer Pain Initiative, American Cancer Society New England Division. *Connecticut Pain Summit: Promoting proper use of opioid analgesics, report and recommendations*. Meriden, CT: American Cancer Society New England Division; 2003.
- (100) Dahl JL, Bennett ME, Bromley MD, Joranson DE. Success of the State Pain Initiatives. *Cancer Practice*. 2002;10:S9-S13.
- (101) Joranson DE. State pain commissions: New vehicles for progress? *American Pain Society Bulletin*. 1996;6:7-9. <http://www.painpolicy.wisc.edu/publicat/96apssp.pdf>
- (102) Last Acts. *Means to a better end: A report on dying in America today*. Washington, DC: Last Acts National Program Office; 2002.
- (103) Potter M, Schafer S, Gonzalez-Mendez E et al. Opioids for chronic nonmalignant pain. *Journal of Family Practice*. 2001;50:145-151.
- (104) State of California Department of Consumer Affairs. *Summit on effective pain management: removing impediments to appropriate prescribing*. March ed. Sacramento, CA: State of California Department of Consumer Affairs; 1994.
- (105) Joranson DE, Gilson AM, Nischik JA. North Carolina, pain management and end-of-life care: Communicating the policy. *Federation Bulletin: Journal of Medical Licensure & Discipline*. 2002;88:116-119. <http://www.painpolicy.wisc.edu/publicat/02fsm/jmld02.pdf>
- (106) Schwartz B. Pain management: Quality patient care must include appropriate and effective pain relief. *Minnesota Board of Medical Practice UPDATE*. 2000;Summer:6-7.
- (107) Smyth P. Pain management: A patient's right to adequate pain control. *Minnesota Board of Medical Practice UPDATE*. 2000; Fall:1-5.
- (108) Maryland State Department of Health and Mental Hygiene - Board on Physician Quality Assurance. *A sense of balance: Treating chronic pain (Videocassette)*. Annapolis, MD: Maryland Public Television - Special Projects Unit; 1998.

This publication is available on our website at [www.painpolicy.wisc.edu](http://www.painpolicy.wisc.edu)  
Requests, comments, and suggestions can be directed to:

**Pain & Policy Studies Group**

University of Wisconsin  
School of Medicine and Public Health  
Paul P. Carbone Comprehensive Cancer Center  
406 Science Drive, Suite 202  
Madison, WI 53711  
Tel: 608-263-7662  
Fax: 608-263-0259  
Email: [ppsg@med.wisc.edu](mailto:ppsg@med.wisc.edu)

**Graphic Design:**

Irene Golembiewski  
Media Solutions  
University of Wisconsin  
School of Medicine and Public Health  
<http://media.med.wisc.edu>

